

Quarter 2

Algebra II

Algebra II: Year at a Glance

Quart	ter 1		Quarter 2		Quarte	er 3	Quarte	er 4
Expressions, Equations, Inequalities Various Functions, Equations & Their Graphs, Linear Systems, Quadratic Functions & Equations		Polynomials, Radicals, Inverses, Logarithms, Exponential Functions		Rational Expressions and Equations, Arithmetic and Geometric Sequences and Series, Probability		Trigonometric Functions, Pythagorean Identities, Unit Circle		
August 6 2018 – Octobe	er 5, 2018	October 15,	2018 – December 19, 2	018	January 7, 2019 – N	Narch 8, 2019	March 18, 2019 -	May 23, 2019
<u>A2.A.REI. D.6</u>	<u>A2.A.REI. B.3</u>	<u>A2.A.APR. A.1</u>	<u>A2. F.IF. A.1</u>	A2. F.IF. B.3b	<u>A2.A.REI. A.1</u>	A2.S.CP. A.2	<u>A2.F.TF.A.1</u>	
<u>A2.F.BF. A.1</u>	<u>A2.A.REI. B.3a</u>	<u>A2.A.APR. A.2</u>	<u>A2. F.IF. A.2</u>	<u>A2. F.IF. B.3c</u>	<u>A2.A.REI. A.2</u>	A2.S.CP.A.3	<u>A2.F.TF.A.1a</u>	
A2.F.BF. A.1a	<u>A2. S. ID. B.2</u>	<u>A2.A.REI. A.1</u>	<u>A2. A. CED.A.1</u>	<u>A2. F.IF. B.4a</u>	<u>A2.A.REI. D.6</u>	A2.S.CP.A.4	A2.F.TF.A.1b	
A2.F.BF.A.1b	<u>A2. A.N.Q.A.1</u>	<u>A2.A.REI. A.2</u>	<u>A2. A. CED.A.2</u>	A2. F.IF. B.5	A2.A.SSE. B.3	A2.S.CP.B.5	<u>A2.F.TF.A.2</u>	
<u>A2. A. CED.A.1</u>		<u>A2.A.REI. D.6</u>	A2.N.RN. A 1	<u>A2. F.LE. A.1</u>	<u>A2.F.BF. A.1a</u>	<u>A2.S.CP.B.6</u>	<u>A2.F.TF.B.3</u>	
<u>A2. A. CED.A.2</u>		<u>A2.A.SSE. A.1</u>	A2.N.RN. A.2	<u>A2. F.LE. A.2</u>	<u>A2.F.BF. A.1b</u>	A2. S.ID. A.1	<u>A2.F.TF.B.3a</u>	
<u>A2.A.REI. C.4</u>		A2.A.SSE. B.2/2a	<u>A2.A.APR. B.3</u>	A2. S.ID. B.2	<u>A2.F.BF. A.2</u>	<u>A2. A.</u> APR.C.4	A2.F.TF.B.3b	
<u>A2.REI. C.5</u>		<u>A2.A.SSE. B.3</u>	<u>A2.A.APR. C.4</u>	<u>A2. A.N.Q.A.1</u>	<u>A2. S.IC.A.1</u>	A2. F.BF.B.4	<u>A2. A.N.Q.A.1</u>	
<u>A2. N.C.N. A.1</u>		<u>A2.F.BF. A.1/1a</u>	<u>A2. F.IF. B.3a</u>	A2. F.BF.B.3	<u>A2. S.IC.A.2</u>	<u>A2. A.N.Q.A.1</u>		
<u>A2. N.C.N. A.2</u>		<u>A2.F.BF. A.1b</u>	<u>A2. F.IF.B.3</u>	<u>A2. F.BF.B.4</u>	<u>A2. F. IF.A.1</u>	<u>A2. F. IF.B.3</u>		
<u>A2. N.C.N. B. 3</u>				<u>A2. F.LE.B.3</u>	<u>A2.S.CP. A.1</u>			



Quarter 2

Algebra II

Introduction

Destination 2025, Shelby County Schools' 10-year strategic plan, is designed not only to improve the quality of public education, but also to create a more knowledgeable, productive workforce and ultimately benefit our entire community.

What will success look like?



In order to achieve these ambitious goals, we must collectively work to provide our students with high quality, college and career ready aligned instruction. The Tennessee State Standards provide a common set of expectations for what students will know and be able to do at the end of a grade. The State of Tennessee provides two sets of standards, which include the Standards for Mathematical Content and The Standards for Mathematical Practice. The Content Standards set high expectations for all students to ensure that Tennessee graduates are prepared to meet the rigorous demands of mathematical understanding for college and career. The eight Standards for Mathematical Practice describe the varieties of expertise, habits of mind, and productive dispositions that educators seek to develop in all students. The Tennessee State Standards also represent three fundamental shifts in mathematics instruction: focus, coherence and rigor.



SCS 2018/2019 Revised 9/27/18 2 of 26



Quarter 2

Algebra II

The **Standards for Mathematical Practice** describe varieties of expertise, habits of minds and productive dispositions that mathematics educators at all levels should seek to develop in their students. These practices rest on important National Council of Teachers of Mathematics (NCTM) "processes and proficiencies" with longstanding importance in mathematics education. Throughout the year, students should continue to develop proficiency with the eight Standards for Mathematical Practice. The following are the eight Standards for Mathematical Practice:

- 1. Make sense of problems and persevere in solving them.
- 2. Reason abstractly and quantitatively.
- 3. Construct viable arguments and critique the reasoning of them.
- 4. Model with mathematics.
- 5. Use appropriate tools strategically.
- 6. Attend to precision.
- 7. Look for and make use of structure.
- 8. Look for and express regularity in repeated reasoning.

This curriculum map is designed to help teachers make effective decisions about what mathematical content to teach so that ultimately our students can reach Destination 2025. Throughout this curriculum map, you will see resources as well as links to tasks that will support you in ensuring that students are able to reach the demands of the standards in your classroom. In addition to the resources embedded in the map, there are some high-leverage resources around the content standards and mathematical practice standards that teachers should consistently access. For a full description of each, click on the links below.



★(star) Modeling Standard/Domain SCS 2018/2019 Revised 9/27/18 3 of 26



Algebra II

Structure of the Standards

Structure of the TN State Standards include:

- Content Standards Statements of what a student should know, understand, and be able to do.
- **Clusters** Groups of related standards. Cluster headings may be considered as the big idea(s) that the group of standards they represent are addressing. They are therefore useful as a quick summary of the progression of ideas that the standards in a domain are covering and can help teachers to determine the focus of the standards they are teaching.
- **Domains** A large category of mathematics that the clusters and their respective content standards delineate and address. For example, Number and Operations Fractions is a domain under which there are a number of clusters (the big ideas that will be addressed) along with their respective content standards, which give the specifics of what the student should know, understand, and be able to do when working with fractions.
- **Conceptual Categories** The content standards, clusters, and domains in the 9th-12th grades are further organized under conceptual categories. These are very broad categories of mathematical thought and lend themselves to the organization of high school course work. For example, Algebra is a conceptual category in the high school standards under which are domains such as Seeing Structure in Expressions, Creating Equations, Arithmetic with Polynomials and Rational Expressions, etc.





Algebra II

How to Use the Maps

Overview

An overview is provided for each quarter and includes the topics, focus standards, intended rigor of the standards and foundational skills needed for success of those standards.

Your curriculum map contains four columns that each highlight specific instructional components. Use the details below as a guide for information included in each column.

Tennessee State Standards

TN State Standards are located in the left column. Each content standard is identified as Major Content or Supporting Content (for Algebra I, Algebra II & Geometry only). A key can be found at the bottom of the map.

Content

This section contains learning objectives based upon the TN State Standards. Best practices tell us that clearly communicating measurable objectives lead to greater student understanding. Additionally, essential questions are provided to guide student exploration and inquiry.

Instructional Support & Resources

District and web-based resources have been provided in the Instructional Support & Resources columns. You will find a variety of instructional resources that align with the content standards. The additional resources provided should be used as needed for content support and scaffolding. The inclusion of vocabulary serves as a resource for teacher planning and for building a common language across K-12 mathematics. One of the goals for Tennessee State Standards is to create a common language, and the expectation is that teachers will embed this language throughout their daily lessons.





Quarter 2

Algebra II

Topics Addressed in Quarter

Polynomial Operations & Functions Analyzing Graphs of Polynomial Functions Rational Exponents and Expressions Square Root and Radical Equations Radical and Inverse Functions Exploring and Graphing Exponential Functions.

Overview

In quarter 2 students build upon the reasoning used to solve equations and their fluency in factoring polynomial expressions. They will build functions that model a relationship between two quantities, and represent and solve equations and inequalities graphically. Later in the quarter students will solve systems of linear and nonlinear equations to which no real solutions exist and then relate this to the possibility of quadratic equations with no real solutions. Students will then discover that complex numbers can be used in finding real solutions of polynomial equations. To reach this goal, students will work with properties and operations of complex numbers and then apply that facility to factor polynomials with complex zeros.

Content Standard	Type of Rigor
A2.CED.A.1	Procedural Fluency, Application, Conceptual Understanding
A2.CED.A.2	Procedural Fluency
A2.A.APR.A.2 (formerly A-APR.A.3)	Conceptual Understanding and Procedural Fluency
A2.F.IF.A.2 (formerly <u>F-IF.B.6)</u>	Conceptual Understanding and Procedural Fluency
A2.F.IF.A.1 (formerly F-IF.B.4)	Conceptual Understanding
A2.F.BF.A.1/1a/1b	Conceptual Understanding & Application, Procedural Fluency
A2.A.REI.D.6 (formerly A-REI.D.11)	Conceptual Understanding & Procedural Fluency
A2.A.APR.A.1 (formerly A-APR.A.2)	Conceptual Understanding and Procedural Fluency
A2.N.RN.A.1 (formerly N-RN.A.1)	Conceptual Understanding
A2.N.RN.A.2 (formerly N-RN.A.2)	Conceptual Understanding and Procedural Fluency
A2.A.REI.A.1 (formerly A-REI. A.1)	Conceptual Understanding
A2.A.REI.A.2 (formerly A-REI. A.2)	Conceptual Understanding and Procedural Fluency
A2.A.SSE.A.1 (formerly A-SSE.A.2)	Conceptual Understanding and Procedural Fluency
A2.A.SSE.B.2/2a (formerly 3/3c)	Procedural Fluency and Conceptual Understanding
A2.A.SSE.A.1 (formerly A-SSE.A.2)	Conceptual Understanding
A2.A.SSE.B.3 (formerly A-SSE.B.4)	Procedural Fluency and Application



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES	
Polynomials and Polynomial Functions (Allow approximately 4 weeks for instruction, review, and assessment)				
 Rational Expressions Cluster: Understand the relationship between zeros and factors of Polynomials ■ A2.A.APR.A.2 (formerly A-APR.A.3) Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial. Domain: Quantities Cluster: Reason quantitatively and use units to solve problems. > A2.F.IF.B.5 (formerly F.IF.C.9) Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). 	 Essential Question(s): How can algebra describe the relationship between a function and its graph? Objective(s): Students will classify polynomials. Students will use the factored forms of polynomials to find zeros of a function. Students will use the factored forms of polynomials to sketch the components of graphs between zeros. Students will graph polynomials and describe end behavior. Students understand the structure of polynomial expressions by quickly determining the first and last terms if the polynomial were to be written in standard form. 	Use the textbook resources to address procedural fluency. Pearson 5-1 Polynomial Functions Glencoe 6.1 Operations with Polynomials Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Additional Resources e Math instruction: Unit 10 Illustrative Math: Graphing from Factors 1 Illustrative Math: Graphing from Factors 1I Illustrative Math: Temperature Change Illustrative Math: Throwing Baseballs Math Nspired: Application of Polynomials Math Shell: Sorting Functions Polynomial End Behavior Graphs of Higher Degree Polynomials End Behavior HS Flip Book with examples of each Standard *Not accessible via SCS server	Vocabulary Monomial, degree of a monomial, polynomial, degree of a polynomial, polynomial function, standard form of a polynomial function, turning point, end behavior Polynomial Foldable Writing in Math Why does the end behavior depend on the leading term? Have students to write a sentence(s) and create at least two examples about their thinking. Resources in the Pearson textbook: " Solve it," Think About a Plan, Find the Errors, Multiple word problems, Reasoning question, Compare/contrast question, Open-ended questions, and Connections to other real world topics and/or other subjects	
	Essential Question(s): How are the linear factors of a polynomial	Use the textbook resources to address procedural fluency.	Vocabulary Factor theorem, multiple zero,	
	related to the zeros of the polynomial?		multiplicity, relative maximum,	
zeros and factors of Polynomials		Pearson	relative minimum	
	Objective(s):	5-2 Polynomials, Linear Factors, and Zeros		
A2.A.APR.A.2 (formerly A-APR.A.3) Identify	Students will analyze the factored form of a		Factoring Flow Chart	



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT		PORT & RESOURCES	
zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.	 polynomial. Students will write a polynomial function given its zeros and use the zeros to construct a rough graph of the function defined by the 	Glencoe 6.3 Polynomials Functions Use the following resources to ensure that	Writing in Math Can zero be a solution of a polynomial	
Domain: Linear, Quadratic, and Exponential Models	 polynomial. Students create exponential functions to model real-world situations. 	the intended outcome and level of rigor of the standards are met.	function? Create and solve an example Explain your response.	
Cluster: Interpret functions that arise in applications in terms of the context. A2.F.IF.A.2 (formerly F-IF.B.6) Calculate	 Students use logarithms to solve equations of the form f(t)=a·bc^t for t. Students decide which type of model is 	Additional Resources: Math Nspired: Exploring Polynomials: Factors,		
and interpret the average rate of change of a function (presented <u>symbolically</u> or as a table) over a specified interval. Estimate the rate of change from a graph.	appropriate by analyzing numerical or graphical data, verbal descriptions, and by comparing different data representations.	Roots, and Zeros Illustrative Math: The High School Gym A2.F.IF.A.2 (F-IF.B.6) Illustrative Math: Mathemafish Population A2.F.IF.A.2 (F-IF.B.6) Illustrative Math: Throwing Baseballs		
 Domain: Interpreting Functions Cluster: Analyze functions using different representations. A2.F.IF.B.5 (formerly F-IF.C.9) Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). 		A2.F.IF.B.5 (F-IF.C.9) HS Flip Book with examples of each Standard		
Domain: Arithmetic with Polynomials and Rational Expressions Cluster: Understand the relationship between zeros and factors of Polynomials	 Essential Question(s): Will a graph help you to check all solutions to a polynomial equation? How can you check imaginary solutions? 	Use the textbook resources to address procedural fluency. Pearson	Vocabulary Sum of cubes, differences of cubes, zeros of polynomials	
■ A2.A.APR.A.2 (formerly A-APR.A.3) Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.		5-3 Solving Polynomial Equations Glencoe 6.5 Solving Polynomial Functions	Writing in Math When should you use the quadratic formula to solve a polynomial?	



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	
IN STATE STANDARDS			PORT & RESOURCES
 Cluster: Use polynomial identities to solve problems. ▶ A2.A.APR.B.3 Know and use polynomial identities to describe numerical relationships. 	function that models a relationship between two quantities.Students will sketch graphs showing key features given a verbal description of the relationship.	Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 1 Lessons 11 & 14	
Domain: Interpreting Functions Cluster: Interpret functions that arise in applications in terms of the context. ■ A2.F.IF.A.1 (formerly F-IF.B.4) For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. ★ Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior.	 Students will factor certain forms of polynomial expressions by using the structure of the polynomials. Students will use the factored forms of polynomials to find zeros of a function. Students find solutions to polynomial equations where the polynomial expression is not factored into linear factors. Students construct a polynomial function that has a specified set of zeros with stated multiplicity. Students use the factored forms of polynomials to sketch the components of graphs between zeros. Students transition between verbal, numerical, 	Additional Resources: Illustrative Math: Graphing from Factors 1 A2.APR.A.2 (A-APR.A.3) Illustrative Math: Introduction to Polynomials - College Fund A2.A.REI.D.6 (A-REI.D.11) Illustrative Math: A Sum of Functions A2.F.BF.A.1 (F-BF.A.1) Illustrative Math: Building a Quadratic Function f(x)=x^2 A2.F.BF.B.3 Illustrative Math: Hoisting the Flag 1 A2.F.IF.A.1 (F-IF.B.4) Illustrative Math: Containers A2.F.IF.A.1 (F- IF.B.4) Illustrative Math: Completing the Square Illustrative Math: Giving Raises A2.N.Q.A.1	
 Domain: Building Functions Cluster: Build a function that models a relationship between two quantities A2. F.BF.A.1 (formerly <u>F-BF.A.1)</u> Write a function that describes a relationship between two quantities. ★ a. Determine an explicit expression, a recursive process, or steps for calculation from a context. 	 algebraic, and graphical thinking in analyzing applied polynomial problems. Students interpret and represent relationships between two types of quantities with polynomial functions. 	(formerly N-Q.B.2) Real Number Property Rules HS Flip Book with examples of each Standard	



Curriculum and Instruction – Mathematics

Quarter 2		Algebra II		
TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES	
b. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.				
 Cluster: Build new functions from existing functions ➤ A2.F.BF.B.3 (Formerly F-BF.B.3) Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f(kx), and f(x + k) for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. 				
Domain: Reasoning with Equations and Inequalities Cluster: Represent and solve equations and inequalities graphically.				
■A2.A.REI.D.6 (formerly <u>A-REI. D.11)</u> Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and y = g(x) intersect are the solutions of the equation $f(x) = g(x)$; find the approximate solutions using technology. ★ Domain: Number Quantities				
Cluster: Reason quantitatively and use units to solve problems.				



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES
A2.N.Q.A.1 (formerly N-Q.B.2) Identify, interpret, and justify appropriate quantities for the purpose of descriptive modeling. Descriptive modeling refers to understanding and interpreting graphs; identifying extraneous information; choosing appropriate units; etc. ★			
 Domain: Arithmetic with Polynomials and Rational Expressions Cluster: Understand the relationship between zeros and factors of Polynomials ■ A2.A.APR.A.1 (formerly A-APR.A.2) Know and apply the Remainder Theorem: For a polynomial p(x) and a number a, the remainder on division by x – a is p(a), so p(a) = 0 if and only if (x – a) is a factor of p(x). Domain: Arithmetic with Polynomials and Rational Expressions Cluster: Understand the relationship between zeros and factors of Polynomials ▶ A2.A.APR.C.4 (formerly A-APR.C.6) Rewrite simple rational expressions in different forms; write a(x)/b(x) in the form q(x) + r(x)/b(x), where a(x), b(x), q(x), and r(x) are polynomials with the degree of r(x) less than the degree of b(x), using inspection, long division, or, for the more complicated examples, a computer algebra system. 	 Essential Question(s): When is it best to use long division vs. synthetic division? Objective(s): Students will divide polynomials by long division. Students will divide polynomials by synthetic division. Students understand the Fundamental Theorem of Algebra; that all polynomial expressions factor into linear terms in the realm of complex numbers. Students know and apply the remainder theorem and understand the role zeros play in the theorem. Students connect long division of polynomials with the long division algorithm of arithmetic and use this algorithm to rewrite rational expressions that divide without a remainder. Students define rational expressions and write them in equivalent forms. Students multiply and divide rational expressions. Students perform addition and subtraction of rational expressions. 	Use the textbook resources to address procedural fluency. Pearson 5-4 Dividing Polynomials 5-5 Theorems About Roots of Polynomial equations Glencoe 6.2 Dividing Polynomials 6.7 Roots and Zeros Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 1 Topic B Lesson 19 Module 1 Lessons 4, 22, 24 & 25 Additional Resource(s): Math Nspired: Watch Your p's and g's Illustrative Math: Graphing from Factors 3 A2.A.APR.A.1 (A-APR.A.2) Illustrative Math: Combined Fuel Efficiency A2.A.APR.C.4 (A-APR.C.6)	Vocabulary Synthetic division, remainder theorem, Rational Root Theorem, Conjugate Root Theorem, Descartes' Rule of Signs Writing in Math How does dividing a polynomial by a binomial determine if that binomial is a factor of the polynomial? After applying the Conjugate Root Theorem, how do you know that you have found all of the roots of a polynomial?



Quarter 2

Algebra II

Quarter 2				
TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PPORT & RESOURCES	
		HS Flip Book with examples of each Standard		
 Domain: Interpreting Functions Cluster: Analyze functions using different representations. A2.F.IF.B.3 (formerly F-IF.C.7c) Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology. b. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior. 	 Essential Question(s): How can regression analysis help determine the best fit polynomial to given data? What are the different transformations that can be applied to a power function? Objective(s): Students will fit data to linear, quadratic, cubic, or quartic models. Students will apply transformations to graphs of polynomials. Students will use the factored forms of polynomials to find zeros of a function. Students will use the factored forms of polynomials to sketch the components between zeros. Students will graph polynomials functions and describe end behavior based upon the degree of the polynomial. 	5-9 Transforming Polynomial Functions Glencoe 6.4 Analyzing Graphs and Modeling Data of Polynomial Functions Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 1 Topic B Lessons 14-16 Additional Resources: Find dimensions of a piece of land and riding the bus Illustrative Math: Graphs of Power Functions A2.F.IF.B.3 (F-IF.C.7c)	 Vocabulary Linear regression (linreg), quadratic regression (quadreg), cubic regression (cubicreg), Power function, constant of proportionality Writing in Math Explain how to find the degree of a polynomia by finding differences. What are the different ways that a parent function can be transformed? 	
	Radical Functions and (Allow approximately 2 weeks for in			
Domain: The Real Number System Cluster: Extend the properties of exponents to rational exponents.	Essential Question(s): How does the index relate to the rational exponent of a radical?	Use the textbook resources to address procedural skill and fluency.	Vocabulary Rational exponent	
A2.N.RN.A.1 (formerly N-RN.A.1) Explain how the definition of the meaning of rational exponents follows from extending	 Objective(s): Students will simplify expressions with rational exponents. 	Pearson 6.4 Rational Exponents	Writing in Math When is it necessary to use absolute value ban when simplifying radicals?	



Quarter 2

Algebra II

 TN STATE STANDARDS the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. A2.N.RN.A.2 (formerly N-RN.A.2) Rewrite 	CONTENT Students will calculate quantities that involve positive and negative rational	INSTRUCTIONAL SUP	
those values, allowing for a notation for radicals in terms of rational exponents.		Glencoe	
expressions involving radicals and rational exponents using the properties of exponents.	exponents.	7.6 Rational Expressions Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 3 Lessons 3-4 Additional Resources: TN Task Arc –Investigating Exponents I Classroom Activity: Rational Exponents Bacterial Growth Illustrative Math: Evaluating a Special Exponential A2.R.RN.A.1 Illustrative Math: Checking a Calculation of a Decimal A2.N.RN.A.2 Math Shell: Evaluating Statements About Radicals* Not accessible via SCS server	Resources in the Pearson textbook: " Solve it," Think About a Plan, Find the Errors, Multiple word problems, Reasoning question, Compare/contrast question, Open-ended questions, and Connections to other real world topics and/or other subjects
Domain: Reasoning with Equations and Inequalities Cluster: Represent and solve equations and inequalities graphically.	Essential Question(s): How do you determine the inverse you need to use when solving radical equations?	Use the textbook resources to address procedural fluency. Pearson	Vocabulary Radical equation, square root equation Writing in Math
A2.A.REI.D.6 (formerly A-REI.D.11) Explain why the x-coordinates of the points where the graphs of the equations y = f(x) and y = g(x) intersect are the solutions of the equation f(x) = g(x); find the approximate solutions using technology. ★Include cases where f(x)	 Objective(s): Students will solve square root and other radical equations. Students factor certain forms of polynomial expressions by using the structure of the polynomials. Students use the structure of polynomials 	 6.5 Solving Square Root and Other Radical Equations Glencoe 7.7 Solving Radical Equations and Inequalities 	Why does squaring both sides of a square root equation not always create an equivalent equation?



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUPPORT & RESOURCES		
 and/or g(x) are linear, polynomial, rational, absolute value, exponential, and logarithmic functions. Domain: Reasoning with Equations and Inequalities Cluster: Represent and solve equations and inequalities graphically. A2.A.REI.A.1 (formerly A-REI. A.1) Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method. Domain: Reasoning with Equations and Inequalities Cluster: Represent and solve equations and inequalities graphically. A2.A.REI.A.2 (formerly A-REI. A.2) Solve rational and radical equations in one variable, and identify extraneous solutions when they exist. Domain: Creating Equations Cluster: Create equations that describe numbers or relationships. A2.A.CED.A.1 (formerly A-CED.A.1) Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and rational and 	to identify factors. Students know and apply the remainder theorem and understand the role zeros play in the theorem. Students develop facility in solving radical equations. Students solve rational equations, monitoring for the creation of extraneous solutions. Students solve word problems using models that involve rational expressions. Students solve simple radical equations and understand the possibility of extraneous solutions. They understand that care must be taken with the role of square roots so as to avoid apparent paradoxes. Students explain and justify the steps taken in solving simple radical equations.	Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 3 Lesson 16 Module 1 Lessons 12-13 Module 1 Lesson 26-29 Module 1 Lesson 19 Additional Resources: e Math instruction: Unit 8 Illustrative Math: Zero Product Property 1 A2-A:RELA.1 Illustrative Math: Zero Product Property 2 A2:RELA.1 Illustrative Math: Zero Product Property 3 Illustrative Math: Sensetball A2:A:RELA.2 Real Number Property Rules HS Flip Book with examples of each Standard		



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES
highlight a quantity of interest, using the same reasoning as in solving equations.			
	 Essential Question(s): How can the horizontal line test help you determine if an inverse will be a function? Why is the square root function only half of its' quadratic inverse? Objective(s): Students will find the inverse of a relation or function. Students will graph square root and other radical functions. Students will write explicit polynomial expressions for sequences by investigating successive differences of those sequences. 	Use the textbook resources to address procedural fluency. Pearson 6.7 Inverse Relations and Functions 6.8 Graphing Radical Functions Glencoe 7.2 Inverse Functions and Relations 7.3 Square Root Functions and Operations Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 1 Topic A Lesson 1 Additional Resources: Math Nspired: Functions and Inverses What is the Inverse of a Function? HS Flip Book with examples of each Standard	Vocabulary Inverse relation, one-to-one function, Radical function, square root function Writing in Math What type of function breaks the rule: The range of the relation is the domain of the inverse? The domain of the relation is the range of the inverse? Why do you have to restrict the domain of a quadratic function's inverse?
 A2.F.IF.B.3 Graph functions expressed symbolically and show 	Toppassae Matha		



Quarter	2
---------	---

Algebra II

TN STATE STANDARDS key features of the graph, by hand and using technology.★ a. Graph square root, cube root, and	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES
and using technology.★			
piecewise defined functions, including step functions and absolute value functions.	Exponential and Log	parithmic Functions	
(Allow ap	proximately 3 weeks for instruct		
Domain: Linear, Quadratic, and Exponential ModelsEssential Quest How do you disti exponential funct decay?A2. F.LE.A.1 (formerly F-LE.A.2) Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or input-output pairs.Objective(s):Domain: Linear, Quadratic, and Exponential ModelsStudents wi decay.Domain: Linear, Quadratic, and Exponential ModelsStudents wi observe that vertical stret h)b ^x .Domain: Linear, Quadratic, and Exponential 		Ion, review, and assessment) Use the textbook resources to address procedural fluency. Pearson 7.1 Exploring Exponential Models Glencoe 8.1 Graphing Exponential Functions Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 3 Topic D Lessons 20, 23, 26 Additional Resources: e Math instruction: Unit 4 TN Task Arc -Car Depreciation TN Task Arc-Culture Shock Math Vision Project 2012-Linear and Exponential Functions (various) Illustrative Math: Lake Algae HS Flip Book with examples of each Standard	 Vocabulary Exponential function, exponential growth, exponential decay, asymptote, growth factor, decay factor Writing in Math What is the y-intercept of an exponential function with no stated a value? Resources in the Pearson textbook: " Solve it," Think About a Plan, Find the Errors, Multiple word problems, Reasoning question, Compare/contrast question, Open-ended questions, and Connections to other real world topics and/or other subjects



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUPPORT & RESOURCES
 6 percent? Domain: Interpreting Functions Cluster: Analyze functions using different representations. A2.F.IF.B.3 Graph functions expressed symbolically and show key features of the graph, by hand and using technology.★ a. Graph square root, cube root, and piecewise defined functions, including step functions and absolute value functions. c. Graph exponential and logarithmic functions, showing intercepts and end behavior. 	 Students use properties of exponents to interpret expressions for exponential functions. Students develop a general growth/decay rate formula in the context of compound interest. Students compute future values of investments with continually compounding interest rates. Students study transformations of the graphs of logarithmic functions and learn the standard form of generalized logarithmic and exponential functions. Students use the properties of logarithms and exponents to produce equivalent forms of exponential and logarithmic expressions. 	
Domain: Interpreting Functions Cluster: Analyze functions using different representations.	In particular, they notice that different types of transformations can produce the same graph due to these properties.	
A2.F.IF.B.5 (formerly F-IF.C.9) Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).		
 Domain: Interpreting Functions Cluster: Interpret functions that arise in applications in terms of the context. A2. F.IF.A.2 (formerly <u>F-IF.B.6</u>) Calculate and interpret the average rate of change of a function (presented symbolically 		



Curriculum and Instruction – Mathematics

Quar	rter 2	Alge	bra II
TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES
or as a table) over a specified interval. Estimate the rate of change from a graph.			
 Domain: Reasoning with Equations and Inequalities Cluster: Represent and solve equations graphically. A2.A.REI.D.6 (formerly A-REI.D.11) Explain why the x-coordinates of the points 			
where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the approximate solutions using technology. \bigstar Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.			
Domain: Interpreting Categorical and Quantitative Data			
Cluster: Summarize, represent, and interpret data on a single count or measurement. variable			
A2. S.ID.B.2 (formerly S-ID.B.6) Represent data on two quantitative variables on a scatter plot, and describe how the variables are related. Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.			
 Fit a function to the data; use functions fitted to data to solve problems in the context of the data. 			



Quarter 2	
-----------	--

Algebra II

Qua	rter 2	Alge	bra II
TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES
 A2 .F.BF.B.3 (Formerly F-BF.B.3) Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f(kx), and f(x + k) for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Domain: Linear, Quadratic, and Exponential 	Essential Question(s):	Use the textbook resources to address	Vocabulary
 Models Cluster: Conduct and compare linear, quadratic, and exponential models and solve problems. A2.F.LE.A.1 (formerly F-LE.A.2) Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or input-output pairs. Domain: Linear, Quadratic, and Exponential Models Cluster: Interpret expressions for functions in terms of the situation model. A2.F.LE.B.3 (formerly F-LE.B.5) Interpret the parameters in a linear or exponential function in terms of a context. For example, the equation y = 5000 (1.06)^x models the rising population of a city with 5000 residents when the annual growth rate is 6 percent. What will be the effect on the equation if the city's growth rate was 7 	 Why is y=ae^x considered to be an exponential function? Objective(s): Students will explore the properties of functions of the form y=ab^x. Students will graph exponential functions that have base e. Students will determine the growth or decay factor of an exponential function or situation. Students will write an exponential function given a growth or decay situation using y=a(1+r)t. Students will write an exponential function for continuously compounded interest using Y=ae^{rt}. Students study properties of linear, quadratic, sinusoidal, and exponential functions. 	procedural fluency. Pearson 7.2 Properties of Exponential Functions Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Additional Resources: TN Task Arc – Natural Order of Things Illustrative Math: The Bank Account	Natural base exponential function, continuously compounded interest. Writing in Math Write three different examples of exponential functions that stretch, compress, and reflect. Explain why each function moves the way that it does.



Curriculum and Instruction – Mathematics

Quar	rter 2	Alge	bra II
TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUPI	PORT & RESOURCES
percent instead of 6 percent?			
Domain: Seeing Structure in Expressions Cluster: Interpret the structure of expressions.			
■ A2.A.SSE.A.1 (formerly A-SSE.A.2) Use the structure of an expression to identify ways to rewrite it.			
Domain: Seeing Structure in Expressions Cluster: Use expressions in equivalent forms to solve problems.			
■ A2.A.SSE.B.3 (formerly A-SSE.B.4) Recognize a finite geometric series (when the common ratio is not 1), and use the sum formula to solve problems in context.			
Domain: Interpreting Functions Cluster: Analyze functions using different			
representations.			
A2. F.IF.B.4 (formerly F-IF.C.8b) Write a function defined by an expression in			
different but equivalent forms to reveal and explain different properties of the			
function. a. Know and use the properties of exponents to interpret expressions for			
exponential functions.			
For example, identify percent rate of change in functions such as $y = 2^x$, $y =$			
$(1/2)^{x}$, $y = 2^{-x}$, $y = (1/2)^{-x}$			
Domain: Building Functions Cluster: Build a function that models a			
relationship between two quantities.			



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES
 A2.F.BF.A.1 (formerly F-BF.A.1)_Write a function that describes a relationship between two quantities. ★ For example, given cost and revenue functions, create a profit function b. Combine standard function types using arithmetic operations. Domain: Linear, Quadratic, and Exponential Models Cluster: Construct and compare linear, quadratic, and exponential models and solve problems. A2. F.LE.A.2 (formerly F-LE.A.4). For exponential models, express as a logarithm the solution to ab^{ct} = d where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology. Domain: Interpreting Functions Cluster: Interpret functions that arise in applications in terms of the context. A2. F.IF.A.1 (formerly F-IF.B.4) For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and 	 Essential Question(s): The exponential function y=b^x is one-to- one, so its inverse x=b^y is a function. To express y as a function of x for the inverse, write y=log_bx. Logarithms are exponents. In fact, log_ba =c if and only if b°=a. Objective(s): Students will write and evaluate logarithmic expressions. Students will graph logarithmic functions. Students will graph y=log_bx as the parent logarithmic function, then graph y=alog_b(x-h) + k and observe: 1) how the value of a either stretches or compresses the graph of y=log_bx and 2) the vertical shift of y=log_bx by k. Students construct a table of logarithms base 10 and observe patterns that indicate properties of logarithms. 	Use the textbook resources to address procedural fluency. Pearson 7.3 Logarithmic Functions as Inverses Glencoe 8.3 Logarithms and Logarithmic Functions Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 3 Lesson 19 (LE.A.2) Module 3 Lesson 19 (LE.A.2) Module 3 Lesson 18, 20, 21 (F.IF.A.1) Module 1 Lesson 14-16 (F.IF.B.3) Additional Resources: e Math instruction: Unit 4	PORT & RESOURCES
function that models a relationship between two quantities, interpret key features of graphs	• Students construct a table of logarithms base 10 and observe patterns that	Additional Resources:	



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES
 change from a graph. ★ Domain: Interpreting Functions Cluster: Analyze functions using different representations. 	 Students work with and interpret logarithms with irrational values in preparation for graphing logarithmic functions. Students graph the functions f(x) = log(x), g(x) = log2(x), and h(x) = ln(x) by hand and identify key features of the graphs of 		
 A2. F.IF.B.3 (formerly F-IF.C.7e) Graph functions expressed symbolically and show key features of the graph, by hand and using technology. b. Graph exponential and logarithmic functions, showing intercepts and end behavior. 	 logarithmic functions. Students compare the graph of an exponential function to the graph of its corresponding logarithmic function. Students note the geometric relationship between the graph of an exponential function and the graph of its corresponding logarithmic function. 		
Domain: Building Functions Cluster: Build new functions from existing functions.	 Students understand that the change of base property allows us to write every logarithm function as a vertical scaling of a natural logarithm function. 		
A2. F.BF.B.3 (formerly F-BF.B.3) Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f(kx), and f(x + k) for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology.	 Students graph the natural logarithm function and understand its relationship to other base b logarithm functions. They apply transformations to sketch the graph of natural logarithm functions by hand. Students apply knowledge of exponential and logarithmic functions and transformations of functions to a contextual situation. 		
Domain: Seeing Structure in Expressions Cluster: Write expressions in equivalent forms to solve problems.	Essential Question(s): What are the distinguishing features of the properties of logarithms: product property,	Use the textbook resources to address procedural fluency.	Vocabulary Change of base formula
 A2. A.SSE.B.2 (formerly A-SSE.B.3c) Choose and produce an equivalent form 	quotient property, and power property?	Pearson 7.4 Properties of Logarithms	Writing in Math When would you need to use a Change of Base formula? What does the logarithm look



Quarter 2

Algebra II

TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PORT & RESOURCES
of an expression to reveal and explain properties of the quantity represented by the expression.★ a. Use the properties of exponents to rewrite expressions for exponential functions.	 Objective(s): Students will use the properties of logarithms. 	Glencoe 8.5 Properties of Logarithms 8.6 Common Logarithms Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Additional Resources e Math instruction: Unit 4 Illustrative Math Tasks: SSE.B.3	like?
 Domain: Creating Equations Cluster: Create equations that describe numbers or relationships. A2.A.CED.A.1 (formerly A-CED.A.1) Create equations and inequalities in one variable and use them to solve problems. Domain: Interpreting Functions Cluster: Analyze functions using different representations. A2. F.IF.B.4. (formerly F-IF.C.8b) Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. a. Use the properties of exponents to interpret expressions for exponential functions. Domain: Quantities Cluster: Reason quantitatively and use 	Essential Question(s): How is the relationship between exponents and logarithms used to solve problems? Objective(s): • Students will solve exponential and logarithmic equations.	Indistrative Math Pasks, SSE.B.S Use the textbook resources to address procedural fluency. Pearson 7.5 Exponential and Logarithmic Equations Glencoe 8.2 Solving Exponential Equations and Inequalities 8.4 Solving Logarithmic Equations and Inequalities 8.8 Using Exponential and Logarithmic Functions Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Eureka Math Module 3 Topic B Lesson 7 Module 3 Topic D Lesson 27 Additional Resources: Math Shell: Multiplying Cells * Medical Diagnosis Task	Vocabulary Exponential equation, logarithmic equation Writing in Math How can use the log of any base to solve an exponential equation?



Quarter 2

Algebra II

Qua	iter z	Aige	
TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUP	PPORT & RESOURCES
 units to solve problems. A2. N.Q.A.1 (formerly N-Q.B.2) Identify, interpret, and justify appropriate quantities for the purpose of descriptive modeling. Domain: Reasoning with Equations and Inequalities Cluster: Represent and solve equations graphically. A2.A.REI.D.6 (formerly A-REI.D.11) Explain why the x-coordinates of the points where the graphs of the equations y = f(x) and y = g(x) intersect are the solutions of the equation f(x) = g(x); find the approximate solutions using technology. ★ Domain: Linear, Quadratic and Exponential Models Cluster: Construct and compare linear, quadratic and exponential models and solve problems. A2.F.LE.A.2 (formerly F-LE.A.4) For exponential models, express as a logarithm the solution to ab^{ct} = d where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology. Domain: Interpreting Functions Cluster: Interpret functions that arise in applications in terms of the context. A2.F.IF.A.1 (formerly F-IF.B.4) For a 	Essential Question(s): How can you use the relationship between y=e^x and y = ln x to solve exponential and logarithmic equations? Objective(s): • Students will evaluate and simplify natural logarithmic expressions • Students will solve equations using natural logarithms.	Illustrative Math: Compounding with a 100% Interest Rate Compounding with a 5% Interest Rate Real Number Property Rules *Not accessible via SCS server Use the textbook resources to address procedural skill and fluency. Pearson 7.6 Natural Logarithms Glencoe 8.7 Base e and Natural Logarithms Use the following resources to ensure that the intended outcome and level of rigor of the standards are met. Additional Resources: Illustrative Math: Bacterial Populations Illustrative Math: Carbon 14 Dating Illustrative Math: Exponential Kiss Illustrative Math: Identifying Exponential Functions HS Flip Book with examples of each Standard	Vocabulary Natural logarithmic function Writing in Math Can In 5 +log (base 2) 10 be written as a single log?
	Tannagaa Mathar		1



Curriculum and Instruction – Mathematics

Quar	rter 2	Algebra II
TN STATE STANDARDS	CONTENT	INSTRUCTIONAL SUPPORT & RESOURCES
function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. ★ Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; and end behavior.		
■ A2.F.IF.A.2 (formerly <u>F-IF.B.6</u>) Calculate and interpret the average rate of change of a function (presented <u>symbolically</u> or as a table) over a specified interval. Estimate the rate of change from a graph.		
Domain: Interpreting Functions Cluster: Analyze functions using different representations.		
 A2.F.IF.B.3 (formerly F-IF.C.7e) Graph functions expressed symbolically and show key features of the graph, by hand and using technology. ★ e. Graph exponential and logarithmic functions, showing intercepts and end behavior. 		

Tennessee Mathematics Standards



★(star) Modeling Standard/Domain



Quarter 2

Algebra II

	Quarter 2		Algebra II		
	RESOURCE TOOLBOX				
Textbook Resources		Standards	Videos		
Pearson:	Glencoe:	Common Core Standards - Mathematics	Brightstorm		
http://www.pearsonsuccessnet.com	https://connected.mcgraw-	Common Core Standards - Mathematics Appendix A	Teacher Tube		
Online Tools Think About a Plan (Editable)	hill.com/connected/login.do	Edutoolbox (formerly TNCore)	The Futures Channel		
Standardized Test Prep	Online Tools	The Mathematics Common Core Toolbox	Khan Academy		
Extra Practice (Editable) Find the Errors!	Chapter Animation Chapter Quizzes & Tests	PARCC Blueprints and Test Specifications FAQ	Math TV		
Enrichment (Editable)	Editable Worksheets Anticipation Guides	CCSS Toolbox New York Education Department Tasks	Lamar University Tutorial		
Solve It! ELL Support (Editable)	Personal Tutors	PARCC High School Math Tasks	e Math instruction		
Activities, Games, and Puzzles (Editable)	Lesson PowerPoints Enrichment Masters	TICommonCore.com			
Teaching with TI Technology	Graphing Calculator Activities	TN Department of Education Math Standards			
Homework Video Tutors Lesson Quizzes		PARCC Practice Test			
Assessments		HS Flip Book with Examples of each Standard			
Reteaching (Editable) Common Core Lessons		JMAP			
Standardized Test Prep Performance Tasks					
Additional Sites		Interactive Manipulatives	Calculator		
TN Dept. of Education Assessm	ent Live Binder	Illuminations (NCTM)	Math Nspired		
e Math instruction		National Math Resources	Texas Instrument Activities		
UT Dana Center		NASA Space Math	Casio Activities		
Mars/Math Shell Tasks* (Not ac	cessible via SCS server)	Math Vision Project			
Inside Math Tasks		Purple Math	NWEA MAP Resources:https://teach.mapnwea.org/assist/help_map/Applicatio		
Math Vision Project Tasks			nHelp.htm#UsingTestResults/MAPReportsFinder.htm - Sign in and		
Better Lesson		ACT	Click the Learning Continuum Tab – this resources will help as you		
SCS Math Tasks		TN ACT Information & Resources	plan for intervention, and differentiating small group instruction on		
Dana Center Algebra 2 Assessm	<u>nents</u>	ACT College & Career Readiness Mathematics Standards	the skill you are currently teaching. (Four Ways to Impact Teaching with the Learning Continuum)		
Graphic Organizers (9-12)			https://support.nwea.org/khanrit - These Khan Academy lessons		
University of Idaho Literacy Stra	tegies		are aligned to RIT scores.		
L			1		